
Tanner Staging – Females



Endotext.org 2008

Figure 1. (left) Stages of breast development. B-1: pre-pubertal; B-2: breast bud; B-3: enlargement of beast and areola with no separation of the contours; B-4: projection of areola and papilla to form a secondary mound above the level of the breast; B-5: recession of the areola to the general contour of the breast with projection of the papilla only. (right) Stages of pubic hair development in females. Ph-1: pre-pubertal; Ph-2: sparse growth of long slightly pigmented hair usually slightly curly mainly along the labia; Ph-3: the hair is darker, coarser and curlier and spreads over the junction of the pubes; Ph-4: the hair spreads covering the pubes; Ph-5 the hair extends to the medial surface of the thighs and is distributed as an inverse triangle.

Tanner Staging – Males




Figure 2. Stages of pubic hair and genital development in the male.G-1: pre-pubertal; G-2: the testis and scrotum enlarge, and the skin of the scrotum shows some reddening and change in the texture. Sparse growth of pigmented hair usually slightly curly mainly at the base of the penis (Ph-2); G-3: Testis and scrotum enlarge further, the penis grows mainly in length but also in breadth. The hair is darker, coarser and curlier and spreads over the junction of the pubes (Ph-3); G-4: Scrotum, testis and penis grow further with development of the glans and further darkening of the scrotal skin. The hair spreads covering the pubes; G-5: adult stage with spreading of the hair to the medial surface of the thighs.